

PRODUCT CATALOG 2026



CONNECT WITH US

4716 New Utrecht Ave Brooklyn, NY 11219

📞 844-922-7267 ✉️ Info@abramsmfg.com



SKU: AB-HCC-25



WWW.ABRAMSMFG.COM

Abrams PRODUCT CATALOG

Abrams®

PRODUCT CATALOG 2026



POLICE



WORK / UTILITY TRUCK



MUNICIPALITIES / PUBLIC WORKS



AMBULANCE / FIRE TRUCK

VEHICLE SAFETY & LIGHTING SOLUTIONS

WWW.ABRAMSMFG.COM



ABRAMS CATALOG INDEX

PRODUCT CATALOG

GRILL LIGHTS:

Flex 3 Series	03
Flex 6 Series	03
Flex 12 Series.....	04
Ultra 6 Series	04
Ultra 12 Series	05
Ultra 18 Series	05
T3 Series	06
Edge 3 Series	06
L3 Series	07
Bold 12 Series	07
Flex 180 Series.....	08
Quadra 16 Series	11
Quadra 32 Series.....	11
Quadra 48 Series	12
Quadra 64 Series	12

HIDEAWAYS:

Impact 6 Series.....	15
Blaster 6 Series	15
Blaster 120 Series	16
Blaster 360 Series	16

BEACONS:

Stareye 4" Series.....	19
Stareye 7" Series.....	19

VISOR AND DASH LIGHTS:

Blitz X Series Visor Lightbar.....	23
Focus 1X Series	23
Focus 2X Series	24
Quadra 1X-S Series Quad Color Dash Light.....	25
Quadra 2X-S Series Quad Color Dash Light.....	25
Quadra 1X-D Series Quad Color Dash Light	26
Quadra 2X-D Series Quad Color Dash Light	26

DECK & LIGHT STICKS:

Unity 2X Series Dual Color LED.....	29
Unity 4X Series Dual Color LED.....	29
Unity 6X Series Dual Color LED.....	30
Unity 8X Series Dual Color LED.....	30
Focus 200 Series	31
Focus 400 Series	31
Focus 600 Series.....	32
Focus 800 Series	32

ARROW TRAFFIC ADVISOR:

Unity 1600 TA Lightbar	35
------------------------------	----

LIGHTBARS:

Unity 24X Series	39
Unity 29X Series	39
Unity 34X Series	40
Unity 40X Series	40
Unity 45X Series	41
Unity 50X Series	41
Unity 55X Series	42
Unity 60X Series	42
Unity 65X Series	43
Rugeye 10X Series	43
Pilot Series	44

RUNNING LIGHTS:

10X RDS Series	47
20X RDS Series	48
30X RDS Series	49
40X RDS Series	50
50X RDS Series	51

WORK LIGHTS:

3" HDS Series 18W Flood/ Spot Light	55
4" HDS Series 27W Flood/ Spot Light	55
5" HDS Series 48W Flood/ Spot Light	56
5" HDS Series 60W Flood/ Spot Light	56
6" HDS Series 100W Flood/ Spot Light	57
6" HDS Series 18W Flood/ Spot Light	57

SNOW PLOW LIGHTS:

X Series Snow Plow Light	61
Y Series Snow Plow Light	62
T Series Snow Plow Light	63
Series Snow Plow Relay Kit	63

SIREN SYSTEM:

Escape 100W Siren System	67
Expedition 200W Siren System	67
Logic 1100 Handheld & Light Controller	69
Logic 2200 Handheld & Light Controller.....	69
Logic 2200 Console & Light Controller	70
Macro Waterproof Motorcycle Siren System	71



ABRAMS CATALOG INDEX

PRODUCT CATALOG

SPEAKERS:

Tornado 3 Low Frequency Siren System	74
ECO 100W Siren Speaker	77
Slim 100W Siren Speaker	77
Ultra 100W Siren Speaker	78
Rogue 100W Siren Speaker	78
Supreme 100W Siren Speaker	79
Supreme 200W Siren Speaker	79
Macro Series Motorcycle Siren Speaker	80
Bolt Series 100W Siren Speaker	80

BACKUP ALARM:

102DB Series Backup Alarm	83
112DB Series Backup Alarm	83

SWITCH PANELS:

Taurus Series Switch Panel	87
Astro 400 Series Controller	89
Astro 500 Series Controller with Relay	89
Astro 1100 Series Controller	90

FORK LIFT LIGHTS:

5 in 1 Fork Lift Lights	93
Arrow Shape Fork Lift Lights	93
Line Shape Fork Lift Lights	94
Square Shape Fork Lift Lights	94
Forklift Head Light Kit LED	95

TOUCH LIGHTS:

5.11" Round Interior LED Dome Lights	99
5.3" Rectangular Interior LED Dome Light	99
7.8" Rectangular Interior LED Dome Lights	100
11.8" - 12W Interior LED Dome Lights	100
11.8" - 11.6W Interior LED Dome Lights	101
7.3" Rectangular Interior LED Dome Lights	101
PIR Motion Sensor	102

COBALT LIGHTS:

5" Cobalt XS Side Scene Lights	105
9" Cobalt XS Side Scene Lights	105
13" Cobalt XS Side Scene Lights	106
9" Cobalt XR Side Scene Lights	106
12" Cobalt XR Side Scene Lights	107
15" Cobalt XR Side Scene Lights	107

REFLECTIVE TAPE:

Solas Reflective Tape 2"	111
DOT C2 2" Reflective Tape	112

ACCESSORIES:

Edge 3 & T3 Mounting Brackets	115
Impact & Blaster Mounting Brackets	115
Impact & Blaster Grommet	116
Dash Housing/Cover for Ultra Series Light	116
L Shape Bracket Flex Mount Brackets	117
C Shape Bracket Flex Mount Brackets	117
Flex-180 C Bracket	118
Flex-180 L Bracket	118
Ultra L-Shape Bracket	119
Bold 12 L-Shape Bracket	119

QUADRA SERIES STACKED L BRACKET:

Single Light Multi-Option Mounting Kit	121
Double Stacked Light Multi-Option Mounting Kit	121
Triple Stacked Light Multi-Option Mounting Kit	122
Quad Stacked Light Multi-Option Mounting Kit	122
Double Stacked L Bracket	123
Triple Stacked L Bracket	123
Quad Stacked L Bracket	124
Single Side-By-Side L Bracket	124
Double Stacked Side-By-Side L Bracket	125
Triple Side-By-Side L Bracket	125
Quad Side-By-Side L Bracket	126
Visor Headliner Quick Mount Bracket	126
Single Light 5 Degree Wedge	127
Single Light 15 Degree Wedge	127
Single Light 35 Degree Wedge	128
Single - Light Multi-Option 90°	128
1X Running Light Bracket	129

WINDOW SHROUD KIT:

Abrams 1X Single Quadra Series	131
Abrams 1X-D Single Double Quadra & Flex Series	131
Abrams 2X Single Quadra Series	132
Abrams 2X-D Single Double Quadra & Flex Series	132

CONNECTGO SYSTEM SERIES:

Extention Cables	135
Pigtail Connectors.....	136
Splitter Connectors	137

FLEX SERIES GROMMETS:

Flex 3 FMG Grommet.....	139
Flex 6 FMG Grommet.....	139
Flex 12 FMG Grommet.....	140



Explore our innovative vehicle safety solutions, engineered to save lives and reduce operational costs. Join us in revolutionizing road safety and optimizing efficiency.



OUR MISSION

At Abrams MFG, safety is our business. We make products that take care of people, so they can take care of business. That's why we stand behind them without exception.



OUR COMPANY

Abrams MFG delivers confidence in every aspect – from build quality that inspires trust to building a reputation of professional service and a warranty that's second to none.



OUR PASSION


From installation to operation, Abrams products are engineered to perform. That means they're easy to understand, straightforward to operate, simple to maintain.

GSA & GOVERNMENT PURCHASES

Abrams will gladly accept government purchase orders from various different municipal agencies & departments such as Police, Fire, EMS, Public Safety, DOT, State, Federal, Military, and Volunteer Departments. The P.O. must be issued by a bonafide government agency on agency letterhead or agency forms. You may place your order online and select Purchase Order when checking out. Then you would just need to email or fax a copy of your purchase order authorization for processing.

AGENCIES THAT BENEFIT FROM ABRAMS MFG PRODUCTS





GRILL LIGHTS

USE ALMOST ANYWHERE ON THE VEHICLE

Flex 3 Series



SKU	FG-300
DIMENSIONS	3.25" x 0.96" x 0.65"
VOLTAGE	10-30 VDC
WATTAGE	9W
AMPS	1A
WEIGHT	2.4 OUNCES
LED COUNT	3 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

21 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Multiple Mounting Options

Flex 6 Series



SKU	FG-600
DIMENSIONS	3.87" X 0.97" X 0.65"
VOLTAGE	10-30 VDC
WATTAGE	18W
AMPS	1.5A
WEIGHT	3 OUNCES
LED COUNT	6 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Multiple Mounting Options



Flex 12 Series



SKU	FG-1200
DIMENSIONS	5" X 0.87" X 0.68"
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	2A
WEIGHT	4 OUNCES
LED COUNT	12 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

63+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

5 yr Warranty

Sync. Between Multiple Units

Independent Color Control

Multiple Mounting Options

Ultra 6 Series



SKU	UG-600
DIMENSIONS	4.74" X 0.56" X 1.26"
VOLTAGE	10-30 VDC
WATTAGE	18W
AMPS	2A
WEIGHT	3.36 OUNCES
LED COUNT	6 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

29 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Multiple Mounting Options



Ultra 12 series



SKU	UG-1200
DIMENSIONS	4.74" X 0.56" X 1.26"
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	3A
WEIGHT	3.36 OUNCES
LED COUNT	12 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

69 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Independent Color Control

Ultra 18 series



SKU	UG-1800
DIMENSIONS	4.74" X 0.56" X 1.26"
VOLTAGE	10-30 VDC
WATTAGE	72W
AMPS	6A
WEIGHT	3.52 OUNCES
LED COUNT	18 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

24+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Independent Color Control



T3 Series



SKU	TG-300
DIMENSIONS	3.1" X 1" X 1.5"
VOLTAGE	10-30 VDC
WATTAGE	9W
AMPS	1A
WEIGHT	3 OUNCES
LED COUNT	3 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	TIR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

15 Flash Patterns

5th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Edge 3 Series



SKU	EG-300
DIMENSIONS	3.1" X 1" X 1.5"
VOLTAGE	10-30 VDC
WATTAGE	9W
AMPS	1A
WEIGHT	3 OUNCES
LED COUNT	3 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

15 Flash Patterns

5th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Sync. Between Multiple Units

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty



L3 Series



SKU	LG-300
DIMENSIONS	3.1" X 1" X 1.5"
VOLTAGE	10-30 VDC
WATTAGE	9W
AMPS	1A
WEIGHT	3 OUNCES
LED COUNT	3 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	TIR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

15 Flash Patterns

5th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Bold 12 Series



SKU	BG-1200
DIMENSIONS	4.72" X 2.75" X 1"
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	1.7A
WEIGHT	7.7 OUNCES
LED COUNT	12 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE COLOR, SPLIT COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

37+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Flex 180 Series



SKU	FG-1800
DIMENSIONS	4.88" X 4.52" X 1.87"
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	1.5A
WEIGHT	5 OUNCES
LED COUNT	3 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	180°
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

ECE R65

69 Flash Patterns

Pattern Memory Recall

Heat Sink

Turn, Brake Tail Light

5 yr Warranty



Independent Color Control

Sync. Between Multiple Units

7th Generation LED

Puddle Light

Takedown Function





QUADRA LIGHTS

STAY VISIBLE, STAY SECURE

Quadra Series 16 LED Quad Color



SKU	QG-1600-XXXX
DIMENSIONS	5.41" X 0.64" X 0.57"
VOLTAGE	10-30 VDC
WATTAGE	48W
AMPS	0.8A @ 12V / 0.5A @ 24VA
WEIGHT	.30 POUNDS
LED COUNT	16 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options

Quadra Series 32 LED Quad Color



SKU	QG-3200-XXXX
DIMENSIONS	5.41" X 1.29" X 0.57"
VOLTAGE	10-30 VDC
WATTAGE	96W
AMPS	1.6A @ 12V / 1A @ 24VA
WEIGHT	.75 POUNDS
LED COUNT	32 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options



Quadra Series 48 LED Quad Color



SKU	QG-4800-XXXX
DIMENSIONS	5.41" X 1.93" X 0.57"
VOLTAGE	10-30 VDC
WATTAGE	144W
AMPS	2.4A @ 12V / 1.5A @ 24V
WEIGHT	1 POUNDS
LED COUNT	48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options

Quadra Series 64 LED Quad Color



SKU	QG-6400-XXXX
DIMENSIONS	5.41" X 2.57" X 0.57"
VOLTAGE	10-30 VDC
WATTAGE	192W
AMPS	3.2A @ 12V / 2A @ 24V
WEIGHT	1.25 POUNDS
LED COUNT	64 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play


Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options





HIDEWAYS

SMALL SIZE - HIGH INTENSITY
PLACE ANYWHERE ON VEHICLE

Impact 6 Series

SKU	IH-600
DIMENSIONS	1.5" X 1" X 1"
VOLTAGE	10-30 VDC
WATTAGE	18W
AMPS	1A
WEIGHT	10 OUNCES
LED COUNT	6 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	180 DEGREE SPREAD
AVAILABLE COLORS	



SPECIFICATIONS:

SAE Class 1

35 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Independent Color Control

Blaster 6 Series

SKU	BH-600
DIMENSIONS	1.5" X 1" X 1"
VOLTAGE	10-30 VDC
WATTAGE	18W
AMPS	2A
WEIGHT	10 OUNCES
LED COUNT	6 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	120 DEGREE SPREAD
AVAILABLE COLORS	



SPECIFICATIONS:

SAE Class 1

21 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Independent Color Control



Blaster 120 Series

SKU	BH-120
DIMENSIONS	1.5" X 1" X 1"
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	2A
WEIGHT	10 OUNCES
LED COUNT	12 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	120 DEGREE SPREAD
AVAILABLE COLORS	



SPECIFICATIONS:

SAE Class 1

21 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Independent Color Control

Blaster 360 Series

SKU	BH-360
DIMENSIONS	1.5" X 1" X 1"
VOLTAGE	10-30 VDC
WATTAGE	18W
AMPS	2A
WEIGHT	10 OUNCES
LED COUNT	6 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE SPREAD
AVAILABLE COLORS	



SPECIFICATIONS:

SAE Class 1

21 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Independent Color Control





BEACONS

VISIBILITY IN ALL WEATHER CONDITIONS

StarEye 4” Series

SKU	SB-400-MM/SB-400-PM
DIMENSIONS	4" H X 5 1/8" D
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	2A
WEIGHT	1 POUND
LED COUNT	12 LED
WATERPROOF	IP66 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE SPREAD
AVAILABLE COLORS	



SPECIFICATIONS:

SAE Class 1

30 Flash Patterns

7th Generation LED

Pattern Memory Recall

360 Degree Coverage

Built in Flasher

Cigarette Adapter

Mounting Flange



Magnetic Mount

Sync. Between Multiple Units



Turn, Brake Tail Light

5 yr Warranty

StarEye 4”



StarEye 7”



StarEye 7” Series

SKU	SB-700-MM/SB-700-PM
DIMENSIONS	7" H X 6.5" D
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	2A
WEIGHT	1.5 POUNDS
LED COUNT	12 LED
WATERPROOF	IP66 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE SPREAD
AVAILABLE COLORS	



SPECIFICATIONS:

SAE Class 1

30 Flash Patterns

7th Generation LED

Pattern Memory Recall

360 Degree Coverage

Built in Flasher

Cigarette Adapter

Mounting Flange

Magnetic Mount

Sync. Between Multiple Units

Turn, Brake Tail Light

5 yr Warranty



VISION & DASH LIGHTS

PERFECT FOR UNDERCOVER AND UNMARKED CARS



Blitz X Visor
Lightbar Series



SKU	BVL-8000
DIMENSIONS	13.8"L X 0.76"H X 4.72"/3.31"D
VOLTAGE	10-30 VDC
WATTAGE	216W
AMPS	8A
WEIGHT	2 POUNDS
LED COUNT	72 LED
COLOR TYPE	SPLIT/DUAL OR TRI
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

210+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Heat Sink

Mounting Hardware

Dim Mode

Cruise Mode

Take Down

Independent Color Control

Super Slim

5 yr Warranty

8 Traffic Adviser Patterns

Focus 1X Series



SKU	FD-6100
DIMENSIONS	4.5" X 1.75" X 1.875"
VOLTAGE	10-30 VDC
WATTAGE	18W
AMPS	1A
WEIGHT	1.28 POUNDS
LED COUNT	6 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

52 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Cigarette Adapter

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty



Focus 2X Series



SKU	FD-6200
DIMENSIONS	8.5" X 1.75" X 1.875"
VOLTAGE	10-30 VDC
WATTAGE	36W
AMPS	2A
WEIGHT	1.75 POUNDS
LED COUNT	12 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

52 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere




Heat Sink

Mounting Flange




Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty



Focus 1X



Focus 2X



Quadra Series 1X-S Quad
Color LED Dash & Deck Light



SKU	QD-1X-S-Q
DIMENSIONS	7.43" X 3.17" X 1.00"
VOLTAGE	10-30 VDC
WATTAGE	48W
AMPS	0.8A @ 12V / 0.5A @ 24VA
WEIGHT	1 POUNDS
LED COUNT	16 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options

Quadra Series 1X-D Quad
Color LED Dash & Deck Light



SKU	QD-1X-D-Q
DIMENSIONS	7.80" X 4.17" X 1.39"
VOLTAGE	10-30 VDC
WATTAGE	96W
AMPS	1.6A @ 12V / 1A @ 24V
WEIGHT	1.5 POUNDS
LED COUNT	32 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options

Quadra Series 2X-S Quad
Color LED Dash & Deck Light



SKU	QD-2X-S-Q
DIMENSIONS	12.71" X 3.17" X 1.00"
VOLTAGE	10-30 VDC
WATTAGE	96W
AMPS	1.6A @ 12V / 1A @ 24V
WEIGHT	1.5 POUNDS
LED COUNT	32 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options

Quadra Series 2X-D Quad
Color LED Dash & Deck Light



SKU	QD-2X-D-Q
DIMENSIONS	13.27" X 4.17" X 1.39"
VOLTAGE	10-30 VDC
WATTAGE	192W
AMPS	3.2A @ 12V / 2A @ 24V
WEIGHT	2 POUNDS
LED COUNT	64 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/DUAL/TRI/QUAD COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

30+ Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Plug & Play

Quad Colors

5 yr Warranty

7 Modes

Multiple Mounting Options



DECK & LIGHT STICKS

INCREASED VISIBILITY OF ALL
EMERGENCY RESPONSE VEHICLES

Unity Series 2X Dual Color LED Deck Light



SKU	UT-2X
DIMENSIONS	8.26"W X 1.67"H X 1.74"D
VOLTAGE	10-30 VDC
WATTAGE	48W
AMPS	1.6A
WEIGHT	1 POUND
LED COUNT	16 LED
WATERPROOF	IP67 RATED
COLOR TYPE	DUAL COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

ECE R65

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

40+ Flash Patterns

Unity Series 4X Dual Color LED Deck Light



SKU	UT-4X
DIMENSIONS	16.57"W X 1.67"H X 1.74"D
VOLTAGE	10-30VDC
WATTAGE	96W
AMPS	3.2A
WEIGHT	3.26 POUND
LED COUNT	32 LED
WATERPROOF	IP67 RATED
COLOR TYPE	DUAL COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

ECE R65

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

8 Traffic Advisor Pattern

40+ Flash Patterns



Unity Series 6X Dual Color LED Light Stick



SKU	UT-6X
DIMENSIONS	24.90"W X 1.67"H X 1.74"D
VOLTAGE	10-30VDC
WATTAGE	144W
AMPS	4.8A
WEIGHT	4.2 POUND
LED COUNT	48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	DUAL COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

ECE R65

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

8 Traffic Advisor Pattern

80+ Flash Patterns

Unity Series 8X Dual Color LED Light Stick



SKU	UT-8X
DIMENSIONS	33.23"W X 1.67"H X 1.74"D
VOLTAGE	10-30VDC
WATTAGE	192W
AMPS	6.4A
WEIGHT	5.2 POUND
LED COUNT	64 LED
WATERPROOF	IP67 RATED
COLOR TYPE	DUAL COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

ECE R65

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

8 Traffic Advisor Pattern

80+ Flash Patterns





UNITY 1600 LIGHTBAR

GIVE THE FOCUSED DIRECTION

UNITY 1600 TA LIGHTBAR

SKU	UT-1600-TA
DIMENSIONS	45.40"(L) X 17.85"(W) X 64.4"(H)
VOLTAGE	10-30 VDC
WATTAGE	384W
AMPS	15A
WORKING TEMPRATURE	-30°C~+70°C
LED COUNT	144 (9 PER MODULE)
WATERPROOF	IP67 RATED
LENSE MATERIAL	PC
BASE	ALUMINUM
AVAILABLE COLOR	



SPECIFICATIONS:

SAE Class 1

33 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall



Dim Mode

Heat Sink



Mounting Flange

5 yr Warranty



8 Traffic Adviser Patterns





Focus 200




Focus 400



Focus 600



Focus 800





LIGHTBARS

GET SEEN FROM FAR AWAY

Unity 24X Series



SKU	UT-24X-8M
DIMENSIONS	23.91" X 3.46" X 8.55"
VOLTAGE	10-30 VDC
WATTAGE	99.84W
AMPS	3.9A
PATTERNS	30+
LED COUNT	144 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty

Unity 29X Series



SKU	UT-29X-10M
DIMENSIONS	29" X 12" X 8"
VOLTAGE	10-30 VDC
WATTAGE	117.76W
AMPS	4.6A
PATTERNS	30+
LED COUNT	216 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty



Unity 34X Series



SKU	UT-34X-12M
DIMENSIONS	34.33" X 3.46" X 7.95"
VOLTAGE	10-30 VDC
WATTAGE	135.68W
AMPS	5.3A
PATTERNS	40+
LED COUNT	216 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty

Unity 40X Series



SKU	UT-40X-14M
DIMENSIONS	40" X 12" X 8"
VOLTAGE	10-30 VDC
WATTAGE	156.16W
AMPS	6A
PATTERNS	70+
LED COUNT	216 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty



Unity 45X Series



SKU	UT-45X-16M
DIMENSIONS	44.74" X 3.46" X 7.95"
VOLTAGE	10-30 VDC
WATTAGE	176.64W
AMPS	6.9A
PATTERNS	70+
LED COUNT	288 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty

Unity 50X Series



SKU	UT-50X-18M
DIMENSIONS	49.95" X 3.46" X 7.95"
VOLTAGE	10-30 VDC
WATTAGE	189.44W
AMPS	7.4A
PATTERNS	70+
LED COUNT	324 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	LINEAR SPREAD
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty



Unity 55X Series



SKU	UT-55X-20M
DIMENSIONS	55.16" X 3.46" X 7.95"
VOLTAGE	10-30 VDC
WATTAGE	199.68W
AMPS	7.8A
PATTERNS	70+
LED COUNT	360 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty

Unity 60X Series



SKU	UT-60X-22M
DIMENSIONS	60.39" X 3.46" X 7.95"
VOLTAGE	10-30 VDC
WATTAGE	225.28W
AMPS	8.8A
PATTERNS	70+
LED COUNT	396 + 48 LED
WATERPROOF	IP67 RATED
COLOR TYPE	SINGLE/SPLIT/DUAL COLOR
LIGHT SPREAD / BEAM TYPE	360 DEGREE LINEAR
AVAILABLE COLORS	

SPECIFICATIONS:

SAE Class 1

360 Degree Coverage

Linear Technology

Modules Rearrangement

Easy to Install

Heat Sink

7th Generation LED

Built in Flasher

Dim Mode

Take Down & Alley Light

8 Traffic Adviser Patterns

Independent Color Control

Pattern Memory Recall

TRUE Dual Color

5 yr Warranty



SPECIFICATIONS:

 SAE CLASS 1	 360° COVERAGE	 LINEAR	 MODULE REPLACEMENT	 INSTALL
SAE Class 1	360 Degree Coverage	Linear Technology	Modules Rearrangement	Easy to Install
 HEAT SINK	 7	 FLASHER	 DIM	 ALLEY
Heat Sink	7th Generation LED	Built in Flasher	Dim Mode	Take Down & Alley Light
 8 ADVISER	 CONTROL	 PATTERN	 DUAL COLOR	 5 WARRANTY
8 Traffic Adviser Patterns	Independent Color Control	Pattern Memory Recall	TRUE Dual Color	5 yr Warranty

SPECIFICATIONS:

 SAE CLASS 1	 60 FLASH PATTERN	 360° COVERAGE	 TIR	 COVER
SAE Class 1	60 Flash Patterns	360 Degree Coverage	TIR Technology	Replaceable Cover
 INSTALL	 HEAT SINK	 7	 FLASHER	 PATTERN
Easy to Install	Heat Sink	7th Generation LED	Built in Flasher	Pattern Memory Recall
 TBT	 5 WARRANTY			
Turn, Brake Tail Light	5 yr Warranty			

SPECIFICATIONS:

 ECE R65	 SAE Class 1	 IP65 Rated	 Flash Pattern 9
 Heat Sink	 TRUE Dual Color	 5 yr Warranty	 Easy to Install





OFF ROAD LIGHTBARS

LIGHT UP YOUR PATH

10X RDS Series Curved LED
Off Road Lightbar - 60W



SKU	RDS-60W
DIMENSIONS	12.85"W X 2.90"H X 2.32"D
VOLTAGE	9-36 VDC
WATTAGE	60W
OPERATING TEMPRATURE	-40°C~65°C
LED COUNT	6
WATERPROOF	IP67 / IP69
FUNCTION	DRIVING BEAM / POSITION LIGHT
LUMENS	4800LM

SPECIFICATIONS:

ECE R10

ECE R148

ECE R149




Easy to Install

Heat Sink

TRUE Dual Color

5 yr Warranty

Position Light



20X RDS Series Curved LED
Off Road Lightbar - 120W



SKU	RDS-120W
DIMENSIONS	22.61"W X 2.90"H X 2.32"D
VOLTAGE	9-36 VDC
WATTAGE	120W
OPERATING TEMPRATURE	-40°C~65°C
LED COUNT	12
WATERPROOF	IP67 / IP69
FUNCTION	DRIVING BEAM / POSITION LIGHT
LUMENS	9600LM

SPECIFICATIONS:

ECE R10

ECE R148

ECE R149




Easy to Install

Heat Sink

TRUE Dual Color

5 yr Warranty

Position Light



30X RDS Series Curved LED
Off Road Lightbar - 180W



SKU	RDS-180W
DIMENSIONS	32.37"W X 2.90"H X 2.32"D
VOLTAGE	9-36 VDC
WATTAGE	180W
OPERATING TEMPRATURE	-40°C~65°C
LED COUNT	18
WATERPROOF	IP67 / IP69
FUNCTION	DRIVING BEAM / POSITION LIGHT
LUMENS	14400LM

SPECIFICATIONS:

ECE R10

ECE R148

ECE R149



Easy to Install

Heat Sink

TRUE Dual Color

5 yr Warranty

Position Light



40X RDS Series Curved LED
Off Road Lightbar - 240W



SKU	RDS-240W
DIMENSIONS	42.14"W X 2.90"H X 2.32"D
VOLTAGE	9-36 VDC
WATTAGE	240W
OPERATING TEMPRATURE	-40°C~65°C
LED COUNT	24
WATERPROOF	IP67 / IP69
FUNCTION	DRIVING BEAM / POSITION LIGHT
LUMENS	19200LM

SPECIFICATIONS:

ECE R10

ECE R148

ECE R149


Easy to Install

Heat Sink

TRUE Dual Color

5 yr Warranty

Position Light



50X RDS Series Curved LED
Off Road Lightbar - 300W



SKU	RDS-300W
DIMENSIONS	51.90"W X 2.90"H X 2.32"D
VOLTAGE	9-36 VDC
WATTAGE	300W
OPERATING TEMPRATURE	-40°C~65°C
LED COUNT	30
WATERPROOF	IP67 / IP69
FUNCTION	DRIVING BEAM / POSITION LIGHT
LUMENS	24000LM

SPECIFICATIONS:



ECE R10



ECE R148



ECE R149



Easy to Install



Heat Sink





TRUE Dual Color



5 yr Warranty



Position Light





WORK LIGHTS

EXTEND YOUR DAY LIGHT

3" HDS Series
18W Flood/Spot LED

SKU	HDS-18F, HDS-18S
DIMENSIONS	3" X 3.54" X 1.65"
VOLTAGE	10-30 VDC
WATTAGE	18 WATTS
AMPS	1.3A@13.5V, 0.64A@28V
WEIGHT	0.65 POUNDS
LED COUNT	6 LED
WATERPROOF	IP68 RATED
LUMENS	1440 LM
LIGHT SPREAD / BEAM TYPE	FLOOD/SPOT
BEAM ANGLE	60 DEGREE, 30 DEGREE



SPECIFICATIONS:

BRIGHT

Ultra Bright

EFFICIENT

Energy Efficient

VOLT 12

Powered by 12 Volt

FOG LIGHT

Fog Light

IDEAL

Ideal for Outdoor Use

CONNECTOR

DT Connector Included

WARRANTY

2 yr Warranty

EASY

Easy to Mount

DESIGN

Universal Design

4" HDS Series
27W Flood/Spot LED

SKU	HDS-27F, HDS-27S
DIMENSIONS	4.25" X 4.6" X 2.8"
VOLTAGE	10-30 VDC
WATTAGE	27 WATTS
AMPS	2.00A@13.5V, 0.96A@28V
WEIGHT	2.18 POUNDS
LED COUNT	9 LED
WATERPROOF	IP68 RATED
LUMENS	2160 LM
LIGHT SPREAD / BEAM TYPE	FLOOD/SPOT
BEAM ANGLE	60 DEGREE, 30 DEGREE



SPECIFICATIONS:

BRIGHT

Ultra Bright

EFFICIENT

Energy Efficient

VOLT 12

Powered by 12 Volt

FOG LIGHT

Fog Light

IDEAL

Ideal for Outdoor Use

CONNECTOR

DT Connector Included

WARRANTY

2 yr Warranty

EASY

Easy to Mount

DESIGN

Universal Design



5" HDS Series
48W Flood/Spot LED

SKU	HDS-48F, HDS-48S
DIMENSIONS	4.92" X 4.64" X 4.05"
VOLTAGE	10-30 VDC
WATTAGE	48 WATTS
AMPS	3.56A@13.5V, 1.71A@28V
WEIGHT	3.49 POUNDS
LED COUNT	16 LED
WATERPROOF	IP68 RATED
LUMENS	3840 LM
LIGHT SPREAD / BEAM TYPE	FLOOD/SPOT
BEAM ANGLE	60 DEGREE, 30 DEGREE



SPECIFICATIONS:

BRIGHT

Ultra Bright

EFFICIENT

Energy Efficient

VOLT 12

Powered by 12 Volt

FOG LIGHT

Fog Light

IDEAL

Ideal for Outdoor Use

CONNECTOR

DT Connector Included

WARRANTY

2 yr Warranty

EASY

Easy to Mount

DESIGN

Universal Design

5" HDS Series
60W Flood/Spot LED

SKU	HDS-60F, HDS-60S
DIMENSIONS	4.92" X 4.64" X 4.05"
VOLTAGE	10-30 VDC
WATTAGE	60 WATTS
AMPS	4.44A@13.5V, 2.14A@28V
WEIGHT	3.49 POUNDS
LED COUNT	12 LED
WATERPROOF	IP68 RATED
LUMENS	4800 LM
LIGHT SPREAD / BEAM TYPE	FLOOD/SPOT
BEAM ANGLE	60 DEGREE, 30 DEGREE



SPECIFICATIONS:

BRIGHT

Ultra Bright

EFFICIENT

Energy Efficient

VOLT 12

Powered by 12 Volt

FOG LIGHT

Fog Light

IDEAL

Ideal for Outdoor Use

CONNECTOR

DT Connector Included

WARRANTY

2 yr Warranty

EASY

Easy to Mount

DESIGN

Universal Design



6" HDS Series 100W Flood/Spot LED

SKU	HDS-100F, HDS-100S
DIMENSIONS	6" X 5.55" X 4.5"
VOLTAGE	10-30 VDC
WATTAGE	100 WATTS
AMPS	7.40A@13.5V, 3.57A@28V
WEIGHT	5.67 POUNDS
LED COUNT	20 LED
WATERPROOF	IP68 RATED
LUMENS	8000 LM
LIGHT SPREAD / BEAM TYPE	FLOOD/SPOT
BEAM ANGLE	60 DEGREE, 30 DEGREE



SPECIFICATIONS:

BRIGHT

Ultra Bright

EFFICIENT

Energy Efficient

VOLT 12

Powered by 12 Volt

FOG LIGHT

Fog Light

IDEAL

Ideal for Outdoor Use

CONNECTOR

DT Connector Included

WARRANTY

2 yr Warranty

EASY

Easy to Mount

DESIGN

Universal Design

6" HDS Series 18W Flood/Spot LED

SKU	HDS-R18F, HDS-R18S
DIMENSIONS	5.90" X 2.06" X 2.20"
VOLTAGE	10-30 VDC
WATTAGE	18 WATTS
AMPS	1.3A@13.5V, 0.64A@28V
WEIGHT	1.5 POUNDS
LED COUNT	6 LED
WATERPROOF	IP68 RATED
LUMENS	1440 LM
LIGHT SPREAD / BEAM TYPE	FLOOD/SPOT
BEAM ANGLE	60 DEGREE, , 30 DEGREE



SPECIFICATIONS:

BRIGHT

Ultra Bright

EFFICIENT

Energy Efficient

VOLT 12

Powered by 12 Volt

FOG LIGHT

Fog Light

IDEAL

Ideal for Outdoor Use

CONNECTOR

DT Connector Included

WARRANTY




2 yr Warranty

EASY

Easy to Mount

DESIGN

Universal Design





SNOW PLOW LIGHTS

WORK AS HEADLIGHT REPLACEMENTS



X Series Snow Plow Lights



SKU	SNL-SX-HL
DIMENSIONS	13.3" X 4.2" X 3.3"
VOLTAGE	10-30 VDC
WATTAGE	40 WATT
WEIGHT	10 POUNDS
WATERPROOF	IP68 RATED
LUMENS	4000 LM
LIGHT SPREAD / BEAM TYPE	HIGH & LOW BEAMS
AVAILABLE COLORS	SINGLE COLOR

SPECIFICATIONS:

Cree LED Chip

Toughed Glass

4000 Lumens Output


Easy Installation

Heated Lens

DOT Approved

5 yr Warranty

BEAM	AMP DRAW (12V/24V)	LED COUNT
LOW BEAM	1.4A/0.7A	4PCS*5W
HIGH BEAM	3.5/1.7A	4PCS*10W
INDICATOR	1.4A/0.7A	6PCS*5W
PARK LIGHT	0.1A/0.05A	3PCS*3W



Relay Kit



Y Series Snow Plow Lights



SKU	SNL-SY-HL
DIMENSIONS	8.46" X 5.90" X 3.34"
VOLTAGE	10-30 VDC
WATTAGE	40 WATT
WEIGHT	10 POUNDS
WATERPROOF	IP68 RATED
LUMENS	4000 LM
LIGHT SPREAD / BEAM TYPE	HIGH & LOW BEAMS
AVAILABLE COLORS	SINGLE COLOR

SPECIFICATIONS:

Cree LED Chip

Toughed Glass

4000 Lumens Output


Easy Installation

Heated Lens

DOT Approved

5 yr Warranty

BEAM	AMP DRAW (12V/24V)	LED COUNT
LOW BEAM	1.4A/0.7A	4PCS*5W
HIGH BEAM	3.5/1.7A	4PCS*10W
INDICATOR	1.4A/0.7A	6PCS*5W
POSITION LIGHT	0.1A/0.05A	3PCS*3W



T Series Snow Plow Lights

SKU	SNL-ST-HL
DIMENSIONS	8.46" X 5.90" X 3.34"
VOLTAGE	10-30 VDC
WATTAGE	40 WATT
WEIGHT	10 POUNDS
WATERPROOF	IP68 RATED
LUMENS	4000 LM
LIGHT SPREAD / BEAM TYPE	HIGH & LOW BEAMS
AVAILABLE COLORS	SINGLE COLOR



SPECIFICATIONS:

Cree LED Chip

Toughed Glass

4000 Lumens Output

Easy Installation

Heated Lens

DOT Approved

5 yr Warranty

BEAM	AMP DRAW(12V/24V)	LED COUNT
LOW BEAM	6.6A@12V, 3.2A@24V	1x90W
HIGH BEAM	3.2A@12V, 1.6A@24V	1x30W
DRL	1.6A@12V, 0.8A@24V	24x1W
FRONT TURN LIGHT	1.7A@12V, 2.1A@24V	7x1W
REAR TURN LIGHT	1.7A@12V, 2.1A@24V	6x1W

Snow Light Series LED Snow Plow Head Light Relay Module

SKU	SNL-RM
WIRE LENGTH	3 FT/8 FT
RELAYS	5
FUSES	1
CONNECTORS	4



SPECIFICATIONS:


Easy to Install

Universal Design

IP66 Weatherproof

Plug & Play

5 yr Warranty



SNOW PLOW RELAY MODULE NOTICE

Vehicles such as Chevrolet, GM, Dodge & Jeep m ay require a relay kit to avoid flickering after install.

We recommend using the Abrams LED Snow Plow Headlight Plug & Play Anti Flicker Module to fix flickering issues. Please search part number SNL-RM on abramsmfg.com or on Amazon.com or any other marketplace to find & buy this module.

- Stops flickering on snow plow lights installed on many vehicles
- Solves flickering issues for most vehicles including: Chevrolet, GM, Dodge & Jeep.
- Solves turn signal issue on snow plow lights connected to above vehicles,
- Great for low voltage vehicles - Cancels headlight flickering.
- Work with Abrams Snow Plow Lights & may work with other Aftermarket
- LED Snow Plow Headlights.
- It's Very Easy to Install, No Modification is Needed Volts In: 9 to 36V
- Lifetime Customer Support! No more headlight flickering





SIREN SYSTEMS

MOST POWERFUL SIREN SYSTEMS
IN THE MARKET



Escape 100W Siren System

SKU	EC-100
DIMENSIONS	5.7" W X 2.53" H X 6.4" D
VOLTAGE	10-16 VDC
WATTAGE	100 WATT
AMPS	10 A
WEIGHT	3.3 POUND
STAND BY CURRENT	LESS THAN 220 MA
WATERPROOF	IP64 RATED
SIREN TONES	HORN, MANUAL, WAIL, YEIP, HI-LO, PHSR



SPECIFICATIONS:

SAE Class J1849 Standards

Universal Design

6 Siren Tones

Volume Control

Horn Ring

PA System

2 x 10A Light Control

1 yr Warranty

Expedition 200W Siren System

SKU	EH-200
DIMENSIONS	1.0" x 1.6" x 3.7" (CONTROLLER) 1.8" x 3.9" x 6.3 (AMPLIFIER)
VOLTAGE	10-16 VDC
WATTAGE	200 WATT
AMPS	17 AMPS
WEIGHT	3.44 POUNDS
STAND BY CURRENT	LESS THAN 160 MA
WATERPROOF	IP65 RATED
SIREN TONES	HORN, MANUAL, WAIL, YEIP, HI-LO, HYPER-LO, HYPER-YELP, & WHOOP



SPECIFICATIONS:

SAE Class J1849 Standards

8 Siren Tones

Volume Control

Horn Ring

200 Watt High Power


PA System

2 x 10A Light Output



Universal Fit

Easy Installation


1 yr Warranty




EC-100 & EC-200




HANDHELD CONTROLLER



EH-100



CONTROLLER



EH-200

Logic 1100 Programmable Handheld & Light Controller



SKU	LGS-1100-H
DIMENSIONS	5.36"W X 4.96"L X 1.64"H (AMPLIFIER)
	2.51"W X 5.20"L X 1.05"D (CONTROLLER)
VOLTAGE	12-24 VDC
WATTAGE	100W
AMPS	8.5A/4A
OPERATING TEMP.	86F TO 149F
SIREN TONES	WAIL YELP PHASER, HI-LO, HORN
LOW AMP DRAW	CLASS D AMPLIFIER PRODUCES AN INCREDIBLY CLEAN, CRISP TONE & LOUD OUTPUT

SPECIFICATIONS:

SAE Class J1849 Standards

Backlit Keypad

22 Siren Tones

Volume Control

Horn Ring Transfer

RRB & PA System

45 Icons Stickers

Button Interlink

Momentary Switch

5 yr Warranty

Logic 2200 Programmable Handheld & Light Controller



SKU	LGS-2200-H
DIMENSIONS	8.54"W X 7.48"L X 1.64H (AMPLIFIER)
	2.51"W X 5.20"L X 1.05"D (CONTROLLER)
VOLTAGE	12-24 VDC
WATTAGE	100W
AMPS	20A@12VDC/10A@24VDC
OPERATING TEMP.	86F TO 149F
SIREN TONES	WAIL YELP PHASER, HI-LO, HORN
LOW AMP DRAW	CLASS D AMPLIFIER PRODUCES AN INCREDIBLY CLEAN, CRISP TONE & LOUD OUTPUT

SPECIFICATIONS:

SAE Class J1849 Standards

Backlit Keypad

22 Siren Tones

Volume Control

Horn Ring Transfer

RRB & PA System

45 Icons Stickers

Fully Programmable

Momentary Switch

Button Interlink

5 yr Warranty

Logic 2200 Programmable Console & Light Controller



SKU	LGS-2200-C
DIMENSIONS	8.54"W X 7.48"L X 1.79"H (AMPLIFIER)
	6.93"W X 3.66"L X 1.21"D (CONTROLLER)
VOLTAGE	12-24 VDC
WATTAGE	200 WATT
AMPS	20A /10 A
OPERATING TEMP.	86F TO 149F
SIREN TONES	WAIL YELP PHASER, HI-LO, HORN
LOW AMP DRAW	CLASS D AMPLIFIER PRODUCES AN INCREDIBLY CLEAN, CRISP TONE & LOUD OUTPUT

SPECIFICATIONS:

SAE Class J1849 Standards

Backlit Keypad

22 Siren Tones

Volume Control

Horn Ring Transfer

RRB & PA System

45 Icons Stickers


Fully Programmable

Momentary Switch


Button Interlink

5 yr Warranty

SIREN / AMPLIFIER



CONTROL HEAD



MACRO WATERPROOF
MOTORCYCLE SIREN SYSTEM



SKU	AS-400, MSS-100
DIMENSIONS	3.93" W x 3.75" H x 1.27" D 0.93" L X 1.49 W" X 2.97" H
VOLTAGE	10-30 VDC
WATTAGE	100 WATT
AMPS	2.5 AMPS
WEIGHT	3 POUND
OPERATING TEMPERATURE	-40° C - 70° C
AMPLIFIER WATERPROOF	IP65 RATED
CONTROLLER WATERPROOF	IP66 RATED

SPECIFICATIONS:

SAE Class J1849 Standards

5 Siren Tones

PA System

100 Watt High Power




Waterproof Wire Harness


124 DB

NEO Driver

Shock Resistant and Waterproof

5 yr Warranty





LOW-FREQUENCY ALARM SYSTEM

Getting attention and clearing traffic more effectively than a standard siren tone

Tornado 3 Low Frequency Siren System



SKU	TORNADO-3
DIMENSIONS	5.78"W X 4.88"H X 1.67"D
VOLTAGE	12-24 VDC
WATTAGE	100W
AMPS	8 A
WEIGHT	9 POUNDS
BRACKET TYPE	UNIVERSAL REVERSIBLE MOUNT
WATERPROOF	IP66 RATED
MATERIAL	ABS HOUSING
COLOR TYPE	BLACK

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

100 Watt High Power




Easy Installation

11 OHM

115 Decibel

Universal Fit

2 yr Warranty





SIREN SPEAKERS

DESIGNED TO WITHSTAND
THE TOUGHEST CONDITIONS

Bolt Series 100W Siren Speaker



SKU	BLT-100
DIMENSIONS	W 6.33" X H 6.33" X D 2.96"
WATTAGE	100 WATT
WEIGHT	5.51 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

200 Watt High Power

Easy Installation

OHM

124 Decibel

Universal Fit

Shock Resistant and Waterproof

2 yr Warranty

Ultra Series 100W Siren Speaker



SKU	ULS-100
DIMENSIONS	5.9"W X 4.9"H X 2.1"D
VOLTAGE	12 VCD
WATTAGE	100W
WEIGHT	5.3 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

100 Watt High Power

Universal Fit

Easy Installation

OHM

123 Decibel

Shock Resistant and Waterproof

2 yr Warranty

Slim Series 100W Siren Speaker



SKU	SLS-100
DIMENSIONS	5.9"W X 5.5"H X 2"D
VOLTAGE	12 VCD
WATTAGE	100W
WEIGHT	5.15 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

100 Watt High Power

Universal Fit

Easy Installation

OHM

123 Decibel

Shock Resistant and Waterproof

2 yr Warranty

Rogue Series 100W Siren Speaker



SKU	RGS-100
DIMENSIONS	7.5"W X 7.2"H X 2.7"D
VOLTAGE	12 VCD
WATTAGE	100W
WEIGHT	7 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

100 Watt High Power

Universal Fit

Easy Installation

OHM

124 Decibel

Shock Resistant and Waterproof

2 yr Warranty

Supreme Series 100W Speaker



SKU	SPS-100
DIMENSIONS	5.5"W X 5.82"H X 7"D
VOLTAGE	12 VCD
WATTAGE	100W
WEIGHT	7.2 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

200 Watt High Power

Easy Installation

OHM

123 Decibel

Universal Fit

Shock Resistant and Waterproof

2 yr Warranty

Supreme Series 200W Speaker



SKU	SPS-200
DIMENSIONS	5.5"W X 5.82"H X 7"D
VOLTAGE	12 VOLTS
WATTAGE	200 WATT
WEIGHT	7.2 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

200 Watt High Power

Easy Installation

OHM

127 Decibel

Universal Fit

Shock Resistant and Waterproof

2 yr Warranty



ECO Series 100W Siren Speaker



SKU	ECS-100
DIMENSIONS	8.1"W X 5.2"H X 6.6"D
VOLTAGE	12 VCD
WATTAGE	100W
WEIGHT	4 POUNDS
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	SPEAKER, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class A

NEO Driver

Cost Efficient

100 Watt High Power

Universal Fit

Easy Installation

OHM

123 Decibel

Shock Resistant and Waterproof

2 yr Warranty

Macro Series Motorcycle Siren Speaker



SKU	MCS-50W-X2
DIMENSIONS	4.46"R x 3.62"D
VOLTAGE	10-24 VDC
WATTAGE	100 WATT
WEIGHT	2.8 POUND
WATERPROOF	IP66 RATED
PACKAGING CONTAINS	2 X 50W SPEAKERS, OWNER'S MANUAL

SPECIFICATIONS:

SAE Class J1849 Standards

100 Watt High Power

Waterproof Wire Harness

119 DB

Universal Fit

NEO Driver

Shock Resistant and Waterproof

Cost Efficient

OHM

Easy Installation

2 yr Warranty





BACKUP ALARMS

BACK UP SAFETY WITH A
POWERFUL BACKUP ALARM



102 DB Series Backup Alarm



SKU	BAU-102
DIMENSIONS	4"W X 2.75"H X 2"D
VOLTAGE	10-80 VDC
MODEL VERSIONS	BEEP BEEP 102DB, SELF ADJUSTABLE 102DB WHITE NOISE 102DB
AMPS	250 MILIAMPS
WEIGHT	1 POUNDS
DB	102 DB
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	BACKUP ALARM, OWNER'S MANUAL

SPECIFICATIONS:

COMMERCIAL
Commercial Grade

GROUNDING
No Grounding Wire Needed

REVERSE
Reverse Mount Speaker

dB 102
102 Decibel


EASY
Easy Installation

FIT
Universal Fit

SEALED
Sealed Epoxy

SHOCKPROOF
Shock Resistant and Waterproof

WARRANTY
5 yr Warranty



112 DB Series Backup Alarm



SKU	BAU-112
DIMENSIONS	5"W X 3"H X 4"D
VOLTAGE	10-80 VDC
MODEL VERSIONS	BEEP BEEP 112DB, SELF ADJUSTABLE 112DB WHITE NOISE 112DB
AMPS	250 MILIAMPS
WEIGHT	1.5 POUNDS
DB	107/112 DB
WATERPROOF	IP67 RATED
PACKAGING CONTAINS	BACKUP ALARM, OWNER'S MANUAL

SPECIFICATIONS:

COMMERCIAL
Commercial Grade

GROUNDING
No Grounding Wire Needed

REVERSE
Reverse Mount Speaker

dB 112
112 Decibel

2 LEVEL
2 Level Alarm


EASY
Easy Installation

FIT
Universal Fit

SEALED
Sealed Epoxy

SHOCKPROOF
Shock Resistant and Waterproof

WARRANTY
5 yr Warranty





SWITCH PANEL & CONTROLLERS

EASILY CONTROL DIFFERENT ACCESSORIES

Taurus Series Switch Panels





SPECIFICATIONS:



SKU	ATSP-100	ATSP-200	ATSP-300
DIMENSIONS	2" X 2.2" X 1.57"	2.95" X 2.2" X 1.57"	3.87" X 2.2" X 1.57"
VOLTAGE	9-30 VDC	9-30 VDC	9-30 VDC
AMPS	15 A	15 A	15 A
WEIGHT	2 OUNCES	2.4 OUNCES	5.6 OUNCES
WATERPROOF	IP65 RATED	IP65 RATED	IP65 RATED

SKU	ATSP-400	ATSP-500
DIMENSIONS	4.82" X 2.2" X 1.57"	5.74" X 2.2" X 1.57"
VOLTAGE	9-30 VDC	9-30 VDC
AMPS	30 A	30 A
WEIGHT	6.4 OUNCES	10 OUNCES
WATERPROOF	IP65 RATED	IP65 RATED



Astro 400 Series Controller

SWITCH PANELS

SKU	AS-400
DIMENSIONS	0.93" L X 1.49 W" X 2.97" H
VOLTAGE	10-30 VDC
WATTAGE	1 W
AMPS	0.8 A
WEIGHT	5.6 OUNCES
PROGRAMMABLE MODE	ON-OFF / MOMENTARY
WATERPROOF	IP65 RATED
BACKLIT KEYPAD	YES
CABLE LENGTH	5 FT.



SPECIFICATIONS:



EASY

Easy to Mount



DESIGN

Universal Design



WARRANTY

5 yr Warranty



BACKLIT

Backlit Keypad



ARM MOUNT

Adjustable Arm Mount



MOMENTARY

On-Off/Momentary Switch Mode



45 STICKERS

45 Icon Stickers



BUTTON

4 Programmable Button



IP65

IP65 Weatherproof

Astro 1100 Series Controller

ASTRO CONTROLLER

SKU	AS-1100
DIMENSIONS	3.93" X 2.36" X 0.72" (CONTROLLER) 5.82" X 3.62" X 0.98" (FUSE BOX)
VOLTAGE	10-30 VDC
WATTAGE	18 W
AMPS	41 A
WEIGHT	6.4 OUNCES
WORKING TEMPERATURE	-300C~+700C
WATERPROOF	IP65 RATED



SPECIFICATIONS:



EASY

Easy to Mount



DESIGN

Universal Design



WARRANTY

5 yr Warranty



BACKLIT

Backlit Keypad



INDICATOR

Traffic Advisor Directional Indicator



MOMENTARY

On-Off / Momentary



ARM MOUNT

Adjustable Arm Mount



40 STICKERS

40 Icon Stickers



FLEET SYNC

Fleet Sync



CONTROLLER

Sync with 2nd Controller



BUTTON

11 Programmable Button



INTERLOCK

Interlock Function

Astro 500 Series Controller with Relays

SKU	AS-500
DIMENSIONS	2.44"W X 2.44"D X 0.98"H
VOLTAGE	10-30 VDC
WATTAGE	1 W
AMPS	4X5A
WEIGHT	5.6 OUNCES
PROGRAMMABLE MODE	ON-OFF / MOMENTARY
WATERPROOF	IP65 RATED
BACKLIT KEYPAD	YES
CABLE LENGTH	1 FT.



SPECIFICATIONS:



EASY

Easy to Mount



DESIGN

Universal Design



WARRANTY

5 yr Warranty



BACKLIT

Backlit Keypad



ARM MOUNT

Adjustable Arm Mount



MOMENTARY

On-Off/Momentary Switch Mode



45 STICKERS

45 Icon Stickers



BUTTON

4 Programmable Button



IP65


IP65 Weatherproof



DUAL COLOR LED SWITCHES

Dual Color LED Switches

Astro 400 Series Controller Drawing





FORK LIFT SAFETY LIGHTS

MAKE YOUR BUSY WAREHOUSE SAFER



5 In 1 Fork lift LED



SKU	FLL-ST
DIMENSIONS	7.5" W X 2" H X 0.96" D
VOLTAGE	10-30 VDC
WATTAGE	36 W
AMPS	0.25 A
WEIGHT	1 POUND
LED COUNT	28 LED
WATERPROOF	IP67 RATED
LUMENS	450
PROGRAMMABLE MODE	STOP/TAIL/TURN/REVERSE
AVAILABLE COLORS	

SPECIFICATIONS:



BRIGHT

Super Bright LED



SHOCKPROOF

Shockproof Bracket



EASY

Easy to Install



CREE

Cree LED



REFLECTOR

Build In Reflector



DESIGN

Universal Design



WARRANTY

5 yr Warranty

Arrow Shape Forklift Safety Lights



SKU	FSL-BA
DIMENSIONS	4.2" X 3.7" X 3.4"
VOLTAGE	10-94 VDC
WATTAGE	9W
AMPS	0.75 A
WEIGHT	0.90 POUND
LED COUNT	3 LED
WATERPROOF	IP68 RATED
LUMENS	450
BEAM PATTERN	ARROW SHAPED
AVAILABLE COLORS	BLUE, GREEN, RED

SPECIFICATIONS:



BRIGHT

Super Bright LED



SHAPE

Arrow Shaped Beam



SHOCKPROOF

Shockproof Bracket



EASY

Easy to Install



PNEUMATIC

Perfect for Pneumatic



WARRANTY

1 yr Warranty

Line Shape Forklift Safety Lights



SKU	FSL-BL
DIMENSIONS	2.98" X 3.22" X 2.88"
VOLTAGE	10-94 VDC
WATTAGE	9W
AMPS	0.75 A
WEIGHT	0.93 POUND
LED COUNT	3 LED
WATERPROOF	IP68 RATED
LUMENS	450
BEAM PATTERN	LINE SHAPED
AVAILABLE COLORS	BLUE, RED

SPECIFICATIONS:



BRIGHT

Super Bright LED



SHAPE

Line Shaped Beam



SHOCKPROOF

Shockproof Bracket



EASY

Easy to Install



PNEUMATIC

Perfect for Pneumatic



WARRANTY

1 yr Warranty

Square Shape Forklift Safety Lights



SKU	FSL-BS
DIMENSIONS	2.99" X 3.85" X 2.90"
VOLTAGE	10-94 VDC
WATTAGE	9W
AMPS	1A
WEIGHT	0.93 POUND
LED COUNT	4 LED
WATERPROOF	IP68 RATED
LUMENS	450
BEAM PATTERN	SQUARE SHAPED
AVAILABLE COLORS	BLUE, RED

SPECIFICATIONS:



BRIGHT

Super Bright LED



SHAPE

Line Shaped Beam



SHOCKPROOF

Shockproof Bracket



EASY

Easy to Install



PNEUMATIC

Perfect for Pneumatic



WARRANTY

1 yr Warranty

Abrams LED Forklift Head Light Kit

SKU	FHL-92-K
DIMENSIONS	4.74" X 0.56" X 1.26"
VOLTAGE	9-80 VDC
WATTAGE	36 W
AMPS	0.25 A
WEIGHT	2 POUND
LED COUNT	28 LED
WATERPROOF	IP67 RATED
LUMENS	6400 LUMENS
PROGRAMMABLE MODE	STOP/TAIL/TURN/REVERSE
AVAILABLE COLORS	



SPECIFICATIONS:

BRIGHT
Super Bright LED

SHOCKPROOF
Shockproof Bracket



EASY
Easy to Install

CREE
Cree LED


REFLECTOR
Build In Reflector

DESIGN
Universal Design


WARRANTY
5 yr Warranty




FLL-ST




FSL-BA



FSL-BL



FSL-BL



INTERIOR DOME LIGHTS

COMPLEMENT ANY INDOOR AREA

5.11” Round Interior LED Dome Light Series



SKU	TLC-9300
DIMENSIONS	5.11” X 5.11” X 0.72”
VOLTAGE	10-30 VDC
WATTAGE	25.5W
AMPS	1.89A@13.5V, 0.91A@28V
WEIGHT	0.82 POUND
LED COUNT	51 LED
WATERPROOF	IP67 RATED
LUMENS	1785
AVAILABLE COLORS	WHITE, RED/WHITE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



2 yr Warranty

5.3” Rectangular Interior LED Dome Light Series



SKU	TLR-9400
DIMENSIONS	5.37” X 2.58” X 0.74”
VOLTAGE	10-30 VDC
WATTAGE	13.5WT
AMPS	1.00A@13.5V, 0.84A@28V
WEIGHT	0.54 POUND
LED COUNT	27 LED
WATERPROOF	IP67 RATED
LUMENS	945
AVAILABLE COLORS	SINGLE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



2 yr Warranty

7.8” Rectangular Interior LED Dome Light Series



SKU	TLA-9600
DIMENSIONS	7.87” X 2.36” X 1.33”
VOLTAGE	10-30 VDC
WATTAGE	12WT
AMPS	0.89A@13.5V, 0.43A@28VT
WEIGHT	0.93 POUND
LED COUNT	60 LED
WATERPROOF	IP67 RATED
LUMENS	840
AVAILABLE COLORS	SINGLE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



2 yr Warranty

11.8” - 12W Interior LED Dome Light Series



SKU	TLA-9650
DIMENSIONS	11.81” X 2.36” X 1.33”
VOLTAGE	10-30 VDC
WATTAGE	6.4W
AMPS	1.89A@13.5V, 0.43A@28V
WEIGHT	0.53 POUND
LED COUNT	32 LED
WATERPROOF	IP67 RATED
LUMENS	448
AVAILABLE COLORS	SINGLE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



2 yr Warranty

11.8” - 11.6W Interior LED Dome Light Series



SKU	TLB-9700
DIMENSIONS	12.4" X 2.64" X 0.98"
VOLTAGE	10-30 VDC
WATTAGE	11.6W
AMPS	0.86A@13.5V, 0.41A@28V
WEIGHT	0.8 A
LED COUNT	58 LED
WATERPROOF	IP67 RATED
LUMENS	812
AVAILABLE COLORS	SINGLE

SPECIFICATIONS:

Ultra Bright

Energy Efficient

Easy to Mount

Universal Design

2 yr Warranty

7.3” Rectangular Interior LED Dome Light Series



SKU	TLR-9500
DIMENSIONS	7.33" X 2.58" X 0.74"
VOLTAGE	10-30 VDC
WATTAGE	21W
AMPS	1.56A@13.5V, 0.75A@28V
WEIGHT	0.72 POUND
LED COUNT	42 LED
WATERPROOF	IP67 RATED
LUMENS	1470
AVAILABLE COLORS	SINGLE

SPECIFICATIONS:

Ultra Bright

Energy Efficient

Easy to Mount

Universal Design

2 yr Warranty

PIR Motion Sensor



SKU	TLS-PIR-5A
DIMENSIONS	3.5" X 1.5" X 1"
VOLTAGE	10-30 VDC
AMPS	1.89A@13.5V, 0.91A@28V
WEIGHT	8 OUNCES
WATERPROOF	IP65 RATED
AVAILABLE COLORS	SINGLE


SPECIFICATIONS:

5 Amp Load

Powered by 12 Volt

Universal Design

5 yr Warranty





**SIDE
SCENE LIGHT**
NOVEL APPEARANCE DESIGN

5" Cobalt XS Side Scene Light



SKU	CSSL-15-XS
DIMENSIONS	5.07"W X 2.59"H X 2.67"D
VOLTAGE	9-32 VDC
WATTAGE	15W
AMPS	1.03A / 0.52A
WEIGHT	0.66 POUND
LED COUNT	15 X 1W OSRAM LEDS
WATERPROOF	IP68 RATED
LUMENS	1500LM / 1200LM
BEAM PATTERN	FLOOD BEAM
AVAILABLE COLORS	BLACK, WHITE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



5 yr Warranty

9" Cobalt XS Side Scene Light



SKU	CSSL-36-XS
DIMENSIONS	9.01"W X 2.59"H X 2.67"D
VOLTAGE	9-32 VDC
WATTAGE	36W
AMPS	2.00A / 1.00A
WEIGHT	1.16 POUND
LED COUNT	36 X 1W OSRAM LEDS
WATERPROOF	IP68 RATED
LUMENS	3600LM / 2880LM
BEAM PATTERN	FLOOD BEAM
AVAILABLE COLORS	BLACK, WHITE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



5 yr Warranty



13" Cobalt XS Side Scene Light



SKU	CSSL-60-XS
DIMENSIONS	12.95"W X 2.59"H X 2.67"D
VOLTAGE	9-32 VDC
WATTAGE	60W
AMPS	3A / 1.5A
WEIGHT	1.16 POUND
LED COUNT	60 X 1W OSRAM LEDS
WATERPROOF	IP68 RATED
LUMENS	6000LM / 4800LM
BEAM PATTERN	FLOOD BEAM
AVAILABLE COLORS	BLACK, WHITE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



5 yr Warranty

9" Cobalt XR Side Scene Light



SKU	CSSL-20-XR
DIMENSIONS	9.09"W X 1.88"H X 2.16"D
VOLTAGE	9-32 VDC
WATTAGE	20W
AMPS	1.21A / 0.61A
WEIGHT	0.83 POUND
LED COUNT	20 X 1W OSRAM LEDS
WATERPROOF	IP68 RATED
LUMENS	2,000LM / 1,600LM
BEAM PATTERN	FLOOD BEAM
AVAILABLE COLORS	BLACK, WHITE

SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



5 yr Warranty



12" Cobalt XR Side Scene Light

SKU	CSSL-32-XR
DIMENSIONS	12.28"W X 1.88"H X 2.16"D
VOLTAGE	9-32 VDC
WATTAGE	32W
AMPS	1.78A / 0.88A
WEIGHT	1.16 POUND
LED COUNT	32 X 1W OSRAM LEDS
WATERPROOF	IP68 RATED
LUMENS	3,200LM / 2,560LM
BEAM PATTERN	FLOOD BEAM
AVAILABLE COLORS	BLACK, WHITE



SPECIFICATIONS:



Ultra Bright



Energy Efficient



Easy to Mount



Universal Design



5 yr Warranty

15" Cobalt XR Side Scene Light

SKU	CSSL-46-XR
DIMENSIONS	15.43"W X 1.88"H X 2.16"D
VOLTAGE	9-32 VDC
WATTAGE	46W
AMPS	2.50A / 1.25A
WEIGHT	1.43 POUND
LED COUNT	46 X 1W OSRAM LEDS
WATERPROOF	IP68 RATED
LUMENS	4,600LM / 3,680LM
BEAM PATTERN	FLOOD BEAM
AVAILABLE COLORS	BLACK, WHITE



SPECIFICATIONS:



Ultra Bright



Energy Efficient




Easy to Mount




Universal Design




5 yr Warranty




CSSL-15-XS




CSSL-36-XS




CSSL-60-XS



CSSL-20-XR



CSSL-32-XR



CSSL-46-XR





REFLECTIVE TAPE

EASILY DISCOVERABLE BY OTHERS



Solas Tape Series



SOLAS 2 X 30



SOLAS 2 X 75



SOLAS 2 X 50



SOLAS 2 X 150

SKU	SOLAS
SIZE	30, 50, 75, 150 FOOT
WIDTH	2"
WEIGHT	0.5 POUND
TAPE TYPE	SOLAS
RATED LIFESPAN	10 YEARS
COLOR	SINGLE
AVAILABLE COLORS	WHITE

SPECIFICATIONS:

Solas Grade

Honeycomb Design

High Stretchable

Easy to Apply & Removable

Long Lifespan

NHTSA Certified

FMVSS Certified

Dot Certified

Weatherproof

5 yr Warranty

High Reflectivity

Strong Adhesive

DOT C2 Tape Series



DOT-C2 2X 30



DOT-C2 2 X 150



DOT-C2 2 X 50



DOT-C2 2 X 75



DOT-C2 2 X 150

SKU	DOT-C2
SIZE	30, 50, 75, 150 FOOT
WIDTH	2"
WEIGHT	0.5 POUND
TAPE TYPE	SOLAS
RATED LIFESPAN	10 YEARS
COLOR	SINGLE
AVAILABLE COLORS	

SPECIFICATIONS:

DOT Certified

Honeycomb Design

High Stretchable

Easy to Apply & Removable

Long Lifespan

NHTSA Certified

FMVSS Certified

Strong Adhesive

Weatherproof

5 yr Warranty

High Reflectivity



BRACKETS & ACCESSORIES

Edge & T3 Series Mounting Brackets



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	EDGE/T3-L/BRACKET
DIMENSIONS	3.9 X 0.7 X 0.3 INCHES
WEIGHT	2 OUNCES
GROMMET/BRACKET SHAPE	L SHAPE
WATERPROOFING	IP67
MATERIAL	ALUMINIUM

Impact & Blaster Mounting Brackets



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	I/B-L/BRACKET
DIMENSIONS	3.3 X 3.2 X 1.3 INCHES
WEIGHT	2 OUNCES
GROMMET/BRACKET SHAPE	L SHAPE
WATERPROOFING	IP67
MATERIAL	ALUMINIUM

Impact & Blaster Grommet Quick Mount



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	I/B-GROMMET
DIMENSIONS	4 X 3 X 0.2 INCHES
WEIGHT	1 OUNCES
GROMMET/BRACKET SHAPE	ROUND
WATERPROOFING	IP67
MATERIAL	RUBBER

Dash Housing/Cover for Ultra Series Light



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	ULTRA-DHC
DIMENSIONS	4.74" X 0.56" X 1.26"
WEIGHT	0.798 OUNCES
GROMMET/BRACKET SHAPE	C SHAPE
WATERPROOFING	IP67
MATERIAL	ALUMINIUM

L Shape Bracket
Flex Mounting Brackets



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	FLEX-L/BRACKET
DIMENSIONS	3.1 X 1.7 X 0.3 INCHES
WEIGHT	0.798 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPE
MATERIAL	ALUMINIUM

C Shape Bracket
Flex Mounting Brackets



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	FLEX-C/BRACKET
DIMENSIONS	2.6 X 2.5 X 0.6 INCHES
WEIGHT	0.798 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	C SHAPE
MATERIAL	ALUMINIUM

Flex 180 C Bracket



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	FLEX 180-C
DIMENSIONS	W1.96 X H1.01 INCHES
WEIGHT	0.3 POUND
WATERPROOF	IP67
GROMET/BRACKET SHAPE	C BRACKET
MATERIAL	ALUMINIUM

Flex 180 L Bracket



SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

SKU	FLEX 180-L
DIMENSIONS	W1.96 X H1.42 INCHES
WEIGHT	0.3 POUND
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L BRACKET
MATERIAL	ALUMINIUM

Ultra L-Shape Bracket



SKU	ULTRA-L/BRACKET
DIMENSIONS	W 4.72 X H 1.37 INCHES
WEIGHT	0.3 POUND
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L BRACKET
MATERIAL	ALUMINIUM

SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant



Easy to Mount



Universal
Design



5 yr Warranty

Bold 12 L-Shape Bracket



SKU	BOLD-L/BRACKET
DIMENSIONS	W 5.24 X H 1.8 - INCHES
WEIGHT	0.3 POUND
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L BRACKET
MATERIAL	ALUMINIUM

SPECIFICATIONS:



Durable
Aluminum



Rust
Resistant




Easy to Mount




Universal
Design




5 yr Warranty




ULTRA-L-BRACKET



FLEX-180-L



FLEX-180-C



BOLD 12 L-BRACKET

Abrams Quadra Series Single Light Multi-Option Mounting Kit - 3M Tape Mount Included



SKU	QS-S-MMK
DIMENSIONS WITH LIGHT	5.41" X 0.64" X 0.73"
DIMENSIONS WITHOUT LIGHT	5.41" X 0.64" X 0.16"
WEIGHT	2 OUNCES
GROMET/BACKET SHAPE	SURFACE MOUNT
MATERIAL	ABS PLASTIC / FOAM

SPECIFICATIONS:

SAE Class 1

21 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink


Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Abrams Quadra Series Double Stacked Light Multi-Option Mounting Kit - 3M Tape Mount Included



SKU	QS-D-MMK
DIMENSIONS WITH LIGHT	5.41" X 1.29" X 0.73"
DIMENSIONS WITHOUT LIGHT	5.41" X 1.29" X 0.16"
WEIGHT	4 OUNCES
GROMET/BACKET SHAPE	SURFACE MOUNT
MATERIAL	ABS PLASTIC / FOAM

SPECIFICATIONS:

SAE Class 1

30 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Abrams Quadra Series Triple Stacked Light Multi-Option Mounting Kit - 3M Tape Mount Included



SKU	QS-T-MMK
DIMENSIONS WITH LIGHT	5.41" X 1.93" X 0.73"
DIMENSIONS WITHOUT LIGHT	5.41" X 1.93" X 0.16"
WEIGHT	6 OUNCES
GROMET/BACKET SHAPE	SURFACE MOUNT
MATERIAL	ABS PLASTIC / FOAM

SPECIFICATIONS:

SAE Class 1

30 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Abrams Quadra Series Quad Stacked Light Multi-Option Mounting Kit - 3M Tape Mount Included



SKU	QS-Q-MMK
DIMENSIONS WITH LIGHT	5.41" X 2.57" X 0.73"
DIMENSIONS WITHOUT LIGHT	5.41" X 2.57" X 0.16"
WEIGHT	8 OUNCES
GROMET/BACKET SHAPE	SURFACE MOUNT
MATERIAL	ABS PLASTIC / FOAM

SPECIFICATIONS:

SAE Class 1

30 Flash Patterns

7th Generation LED

Built in Flasher

Pattern Memory Recall

Fit Anywhere

Heat Sink

Mounting Flange

Turn, Brake Tail Light

Sync. Between Multiple Units

5 yr Warranty

Abrams Quadra Series
Double Stacked L Bracket



SKU	QS-DS-L
DIMENSIONS WITH LIGHT	5.41" X 1.34" X 1.56"
DIMENSIONS WITH LIGHT	5.41" X 1.34" X 1.00"
WEIGHT	4 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra Series
Triple Stacked L Bracket



SKU	QS-TS-L
DIMENSIONS WITH LIGHT	5.41" X 1.98" X 1.56"
DIMENSIONS WITH LIGHT	5.41" X 1.98" X 1.00"
WEIGHT	6 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount




Universal Design



5 yr Warranty

Abrams Quadra Series
Quad Stacked L Bracket



SKU	QS-QS-L
DIMENSIONS WITH LIGHT	5.41" X 2.62" X 1.56"
DIMENSIONS WITH LIGHT	5.41" X 2.62" X 1.00"
WEIGHT	8 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra Series
Single Side-by-Side L Bracket



SKU	QS-S-SS-L
DIMENSIONS WITH LIGHT	10.89" X 0.70" X 1.56"
DIMENSIONS WITH LIGHT	10.89" X 0.70" X 1.00"
WEIGHT	4 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra Series
Double Stacked Side-by-Side
L Bracket



SKU	QS-DS-SS-L
DIMENSIONS WITH LIGHT	10.89" X 1.34" X 1.56"
DIMENSIONS WITHOUT LIGHT	10.89" X 1.34" X 1.00"
WEIGHT	8 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra Series
Triple Side-by-Side L Bracket



SKU	QS-T-SS-L
DIMENSIONS WITH LIGHT	10.89" X 1.98" X 1.56"
DIMENSIONS WITHOUT LIGHT	10.89" X 1.98" X 1.00"
WEIGHT	6 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra Series Quad
Side-by-Side L Bracket



SKU	QS-Q-SS-L
DIMENSIONS WITH LIGHT	10.89" X 2.62" X 1.56"
DIMENSIONS WITHOUT LIGHT	10.89" X 2.62" X 1.00"
WEIGHT	8 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra, Flex & Focus
Series Visor Headliner Quick
Mount Bracket



SKU	QFS-VQM
DIMENSIONS	12" X 4.9" X 2.00"
WEIGHT	14 OUNCES
WATERPROOF	IP67
GROMET/BRACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Quadra Series Single Light
5 Degree Wedge Mounting Kit
- 3M Tape Mount Included



SKU	QS-WMB-5-S
DIMENSIONS WITH LIGHT	0.64 in x 0.79 in x 5.4 in
DIMENSIONS WITHOUT LIGHT	0.64 in x 0.22 in x 5.4 in
WEIGHT	0.10 POUNDS
WATERPROOF	IP67
GROMET/BACKET SHAPE	WEDGE BRACKET
MATERIAL	POLYCARBONATE

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Quadra Series Single Light
15 Degree Wedge Mounting Kit
- 3M Tape Mount Included



SKU	QS-WMB-15-S
DIMENSIONS WITH LIGHT	0.64 in x 0.9 in x 5.4 in
DIMENSIONS WITHOUT LIGHT	0.64 in x 0.33 in x 5.4 in
WEIGHT	0.10 POUNDS
WATERPROOF	IP67
GROMET/BACKET SHAPE	WEDGE BRACKET
MATERIAL	POLYCARBONATE

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Quadra Series Single Light
35 Degree Wedge Mounting Kit
- 3M Tape Mount Included



SKU	QS-WMB-35-S
DIMENSIONS WITH LIGHT	0.64 in x 1.18 in x 5.4 in
DIMENSIONS WITHOUT LIGHT	0.64 in x 0.61 in x 5.4 in
WEIGHT	0.10 POUNDS
WATERPROOF	IP67
GROMET/BACKET SHAPE	WEDGE BRACKET
MATERIAL	POLYCARBONATE

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Abrams Quadra Series Single
Light Multi-Option 90° Mounting Kit



SKU	QS-S-MO-90
DIMENSIONS	3.94" W X 1.29" H X 0.87" D
WEIGHT	0.10 POUNDS
WATERPROOF	IP67
GROMET/BACKET SHAPE	L SHAPED
MATERIAL	ALUMINUM

SPECIFICATIONS:



Coated Steel



Rust Resistant



Easy to Mount



Universal Design



5 yr Warranty

Quadra Series 1X
Running Light Bracket



SKU	QS-1X-RLB
DIMENSIONS WITH LIGHT	13.39" W x 0.97" H x 0.60" D
WEIGHT	0.10 POUNDS
WATERPROOF	IP67
GROMET/BRACKET SHAPE	WEDGE BRACKET
MATERIAL	POLYCARBONATE

SPECIFICATIONS:


Coated Steel

Rust Resistant


Easy to Mount

Universal Design


5 yr Warranty




QS-D-MMK




QS-T-MMK



QS-Q-MMK



QFS-VQM



Abrams 1X Single Quadra Series Window Shroud Kit



SKU	QSW-1X-S
DIMENSIONS WITH LIGHT	5.41" X 1.34" X 1.56"
DIMENSIONS WITHOUT LIGHT	5.41" X 1.34" X 1.00"
WEIGHT	6 OUNCES
WATERPROOF	IP65
GROMET/BRACKET SHAPE	WINDOW SHROUD
MATERIAL	ABS PLASTIC

SPECIFICATIONS:

Coated Steel

Rust Resistant

Easy to Mount

Universal Design

5 yr Warranty

Abrams 1X-D Single Double Quadra & Flex Series Window Shroud Kit



SKU	QSW-1X-D
DIMENSIONS WITH LIGHT	5.41" X 1.98" X 1.56"
DIMENSIONS WITHOUT LIGHT	5.41" X 1.98" X 1.00"
WEIGHT	10 OUNCES
WATERPROOF	IP65
GROMET/BRACKET SHAPE	WINDOW SHROUD
MATERIAL	ABS PLASTIC

SPECIFICATIONS:

Coated Steel

Rust Resistant

Easy to Mount

Universal Design

5 yr Warranty

Abrams 2X Single Quadra Series Window Shroud Kit



SKU	QSW-2X-S
DIMENSIONS WITH LIGHT	5.41" X 2.62" X 1.56"
DIMENSIONS WITHOUT LIGHT	5.41" X 2.62" X 1.00"
WEIGHT	10 OUNCES
WATERPROOF	IP65
GROMET/BRACKET SHAPE	WINDOW SHROUD
MATERIAL	ABS PLASTIC

SPECIFICATIONS:

Coated Steel

Rust Resistant

Easy to Mount

Universal Design

5 yr Warranty

Abrams 2X-D Single Double Quadra & Flex Series Window Shroud Kit



SKU	QSW-2X-D
DIMENSIONS WITH LIGHT	10.89" X 0.70" X 1.56"
DIMENSIONS WITHOUT LIGHT	10.89" X 0.70" X 1.00"
WEIGHT	14 OUNCES
WATERPROOF	IP65
GROMET/BRACKET SHAPE	WINDOW SHROUD
MATERIAL	ABS PLASTIC

SPECIFICATIONS:

Coated Steel

Rust Resistant


Easy to Mount

Universal Design

5 yr Warranty



CONNECTORS & GROMMET



Abrams ConnectCo Series
System - Extention Cables

CCS-3P-3EC		CCS-6P-3EC	
CCS-3P-6EC		CCS-6P-6EC	
CCS-3P-12EC		CCS-6P-12EC	
CCS-4P-3EC		CCS-8P-6EC	
CCS-4P-6EC		CCS-8P-3EC	
CCS-4P-12EC		CCS-8P-12EC	

CONNECTOR TYPE	EXTENSION CABLE
WIRE LENGTH	3 FT , 6 FT, 12 FT
WIRE COLORS	YELLOW, GREEN & BLUE
PINS	3P-M - 4P-F

SPECIFICATIONS:


Easy to Install


Universal Design


IP66 Weatherproof


Plug & Play


5 yr Warranty



Abrams ConnectCo Series
System - Pigtail Connectors

CCS-3P-MPC		CCS-3P-FPC	
CCS-4P-MPC		CCS-4P-FPC	
CCS-6P-MPC		CCS-6P-FPC	
CCS-8P-MPC		CCS-8P-FPC	

CONNECTOR TYPE	PIGTAIL CONNECTOR
WIRE LENGTH	6"
WIRE COLORS	BLACK, RED & WHITE
PINS	3P-M - 4P-F

SPECIFICATIONS:


Easy to Install


Universal Design


IP66 Weatherproof


Plug & Play


5 yr Warranty



Abrams ConnectCo Series
System - Splitter
Connectors

CCS-3F-3MM-S



CCS-4F-4MM-S



CCS-3F-3MMM-S



CCS-4F-4MMM-S



CCS-3F-3MMMM-S



CCS-4F-4MMMM-S



CONNECTOR TYPE	SPLITTER
WIRE LENGTH	2" - 4" TOTAL
WIRE COLORS	GREEN, YELLOW & BLUE
PINS	3P-F - 3P-M - 3P-M

SPECIFICATIONS:

EASY

Easy to Install

DESIGN

Universal Design

IP66

IP66 Weatherproof

PLUG & PLAY

Plug & Play

WARRANTY

5 yr Warranty

Abrams ConnectCo Series
System - Splitter
Connectors

CCS-6F-6MMM-S



CCS-8F-8MMM-S



CCS-6F-6MMMM-S



CCS-8F-8MMMM-S



CONNECTOR TYPE	SPLITTER
WIRE LENGTH	2" - 4" TOTAL
WIRE COLORS	GREEN, YELLOW & BLUE
PINS	3P-F - 3P-M - 3P-M

SPECIFICATIONS:

EASY

Easy to Install

DESIGN

Universal Design

IP66

IP66 Weatherproof

PLUG & PLAY

Plug & Play

WARRANTY

5 yr Warranty

Flex 3 FMG Grommet



SKU	FLEX-3-FMG
DIMENSIONS	3.97"W X 1.49"H X 0.70"D
WEIGHT	0.3 POUND
WATERPROOF	IP67 RATED
GROMET/BRACKET SHAPE	OVAL
MATERIAL	RUBBER

SPECIFICATIONS:

PORTABLE

Easily Portable

EASY

Easy to Mount

DESIGN

Universal Design

WARRANTY

5 yr Warranty

Flex 6 FMG Grommet



SKU	FLEX-6-FMG
DIMENSIONS	4.68"W X 1.49"H X 0.70"D
WEIGHT	0.4 POUND
WATERPROOF	IP67 RATED
GROMET/BRACKET SHAPE	OVAL
MATERIAL	RUBBER

SPECIFICATIONS:

PORTABLE

Easily Portable

EASY

Easy to Mount

DESIGN

Universal Design

WARRANTY

5 yr Warranty

Flex 12 FMG Grommet



SKU	FLEX-12-FMG
DIMENSIONS	5.94"W X 1.49"H X 0.70"D
WEIGHT	0.5 POUND
WATERPROOF	IP67 RATED
GROMET/BRACKET SHAPE	OVAL
MATERIAL	RUBBER

SPECIFICATIONS:

PORTABLE

Easily Portable

EASY

Easy to Mount

DESIGN

Universal Design

WARRANTY

5 yr Warranty

